

2022

600 X 600 mm
Porcelain tiles



SATTVIK[®]
c e r a m i k


3D MATT SERIES

iB CHANNEL PARTNER

iBluu InfraVenture Pvt. Ltd.

Phone : +91 8929 600 415


E-mail : ibiv.info@ibluu.com



6011




600 X 600 mm
Porcelain tiles



6017




600 X 600 mm
Porcelain tiles



6018

600 X 600 mm
Porcelain tiles



6022




600 X 600 mm
Porcelain tiles



6026



600 X 600 mm
Porcelain tiles



6028




600 X 600 mm
Porcelain tiles



6029



600 X 600 mm
Porcelain tiles



6034




600 X 600 mm
Porcelain tiles



6036




600 X 600 mm
Porcelain tiles



6037



600 X 600 mm
Porcelain tiles



6041




600 X 600 mm
Porcelain tiles



6044




600 X 600 mm
Porcelain tiles



6047



600 X 600 mm
Porcelain tiles



6048



600 X 600 mm
Porcelain tiles

Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	±3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545- 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	Null	Null	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note
Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggested to check the tiles before purchase and laying as the company does not accept responsibility once the tiles are laid.

PACKING DETAIL

Size	Thickness	No.Of Tiles	Area Approx.	Weight Approx.
600x600 mm	9 mm	4 Pcs.	1.44 Sq. Mtr.	28kg.

UTILITY OF FLOOR TILES



SATTVIK[®]
ceramik

2022

600 X 600 mm
Porcelain tiles



SATTVIK[®]
c e r a m i k

SUGAR SERIES



7002



600 X 600 mm
Porcelain tiles



7004



600 X 600 mm
Porcelain tiles



7008



600 X 600 mm
Porcelain tiles




7009



600 X 600 mm
Porcelain tiles



7010



600 X 600 mm
Porcelain tiles




7011



600 X 600 mm
Porcelain tiles




7015



7016



600 X 600 mm
Porcelain tiles



7017




7018



600 X 600 mm
Porcelain tiles




7019




7020

600 X 600 mm
Porcelain tiles






7023



7024



600 X 600 mm
Porcelain tiles



7025



600 X 600 mm
Porcelain tiles



7026



600 X 600 mm
Porcelain tiles



7027



600 X 600 mm
Porcelain tiles



7028



600 X 600 mm
Porcelain tiles



7029



600 X 600 mm
Porcelain tiles



7030



600 X 600 mm
Porcelain tiles



7031



600 X 600 mm
Porcelain tiles



7032



600 X 600 mm
Porcelain tiles



7033




600 X 600 mm
Porcelain tiles



7034



600 X 600 mm
Porcelain tiles



7035




600 X 600 mm
Porcelain tiles



7036




600 X 600 mm
Porcelain tiles



7038

600 X 600 mm
Porcelain tiles





7039



7040

600 X 600 mm
Porcelain tiles





7045



7046



600 X 600 mm
Porcelain tiles



7048



600 X 600 mm
Porcelain tiles



7050



600 X 600 mm
Porcelain tiles



7051

600 X 600 mm
Porcelain tiles






7052



600 X 600 mm
Porcelain tiles



7053




600 X 600 mm
Porcelain tiles



7054

600 X 600 mm
Porcelain tiles






7055




600 X 600 mm
Porcelain tiles



7056

600 X 600 mm
Porcelain tiles






7057

600 X 600 mm
Porcelain tiles






7058

600 X 600 mm
Porcelain tiles






7060




600 X 600 mm
Porcelain tiles



7061




600 X 600 mm
Porcelain tiles



7062




600 X 600 mm
Porcelain tiles



7063



600 X 600 mm
Porcelain tiles



7064




600 X 600 mm
Porcelain tiles



7065




600 X 600 mm
Porcelain tiles



7066



600 X 600 mm
Porcelain tiles



7067

600 X 600 mm
Porcelain tiles





7068

600 X 600 mm
Porcelain tiles






7069

600 X 600 mm
Porcelain tiles





7070



600 X 600 mm
Porcelain tiles



7071

600 X 600 mm
Porcelain tiles



7072




600 X 600 mm
Porcelain tiles



7073




600 X 600 mm
Porcelain tiles



7075




600 X 600 mm
Porcelain tiles



7076



600 X 600 mm
Porcelain tiles



7077

600 X 600 mm
Porcelain tiles





7078



600 X 600 mm
Porcelain tiles



7079



600 X 600 mm
Porcelain tiles

Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	±3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545- 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	Null	Null	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note
Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggested to check the tiles before purchase and laying as the company does not accept responsibility once the tiles are laid.

PACKING DETAIL

Size	Thickness	No.Of Tiles	Area Approx.	Weight Approx.
600x600 mm	9 mm	4 Pcs.	1.44 Sq. Mtr.	28kg.

UTILITY OF FLOOR TILES



SATTVIK[®]
ceramik

2022

600 X 600 mm
Porcelain tiles




SATTVIK[®]
c e r a m i k

GALICHA MATT SERIES




1001

600 X 600 mm
Porcelain tiles



1005



1006

600 X 600 mm
Porcelain tiles






1009




600 X 600 mm
Porcelain tiles



1010



600 X 600 mm
Porcelain tiles



1015



600 X 600 mm
Porcelain tiles



1017


600 X 600 mm
Porcelain tiles



1022



600 X 600 mm
Porcelain tiles



1023

600 X 600 mm
Porcelain tiles



1025




600 X 600 mm
Porcelain tiles



1026




600 X 600 mm
Porcelain tiles



1027



600 X 600 mm
Porcelain tiles



1028-1



600 X 600 mm
Porcelain tiles



1029



600 X 600 mm
Porcelain tiles



1031




600 X 600 mm
Porcelain tiles



1034




600 X 600 mm
Porcelain tiles



1035



600 X 600 mm
Porcelain tiles



1037



600 X 600 mm
Porcelain tiles



1041



600 X 600 mm
Porcelain tiles



1043



600 X 600 mm
Porcelain tiles



1044




600 X 600 mm
Porcelain tiles




1045



600 X 600 mm
Porcelain tiles



1047



600 X 600 mm
Porcelain tiles



1048




600 X 600 mm
Porcelain tiles



1049

600 X 600 mm
Porcelain tiles





1050




600 X 600 mm
Porcelain tiles



1053



600 X 600 mm
Porcelain tiles



1054




600 X 600 mm
Porcelain tiles



1056



600 X 600 mm
Porcelain tiles



1058



600 X 600 mm
Porcelain tiles



1059



600 X 600 mm
Porcelain tiles



1061



600 X 600 mm
Porcelain tiles



1065



600 X 600 mm
Porcelain tiles



1071



600 X 600 mm
Porcelain tiles



1072

600 X 600 mm
Porcelain tiles





1073



600 X 600 mm
Porcelain tiles



1074



600 X 600 mm
Porcelain tiles



1075

600 X 600 mm
Porcelain tiles






1076



600 X 600 mm
Porcelain tiles



1077

600 X 600 mm
Porcelain tiles



1078

600 X 600 mm
Porcelain tiles





1079



600 X 600 mm
Porcelain tiles



1081




600 X 600 mm
Porcelain tiles



1086




600 X 600 mm
Porcelain tiles



1090




600 X 600 mm
Porcelain tiles



1092




600 X 600 mm
Porcelain tiles




1094

600 X 600 mm
Porcelain tiles



1095

600 X 600 mm
Porcelain tiles




1097

600 X 600 mm
Porcelain tiles




1098

600 X 600 mm
Porcelain tiles



1100


600 X 600 mm
Porcelain tiles



1102



600 X 600 mm
Porcelain tiles



1105

600 X 600 mm
Porcelain tiles



1106

600 X 600 mm
Porcelain tiles



1111



600 X 600 mm
Porcelain tiles



1113



600 X 600 mm
Porcelain tiles



1115




600 X 600 mm
Porcelain tiles



1127



600 X 600 mm
Porcelain tiles



1129



600 X 600 mm
Porcelain tiles



1138



600 X 600 mm
Porcelain tiles



1143

600 X 600 mm
Porcelain tiles






1155



600 X 600 mm
Porcelain tiles



1160

600 X 600 mm
Porcelain tiles





1161



600 X 600 mm
Porcelain tiles



1165



600 X 600 mm
Porcelain tiles



1167


600 X 600 mm
Porcelain tiles



1168

600 X 600 mm
Porcelain tiles





1169



600 X 600 mm
Porcelain tiles



1171





600 X 600 mm
Porcelain tiles



1174

600 X 600 mm
Porcelain tiles





1175



600 X 600 mm
Porcelain tiles



1176



600 X 600 mm
Porcelain tiles



1178

600 X 600 mm
Porcelain tiles





1201




600 X 600 mm
Porcelain tiles



1202

600 X 600 mm
Porcelain tiles






1203

600 X 600 mm
Porcelain tiles





1204




600 X 600 mm
Porcelain tiles



1205

600 X 600 mm
Porcelain tiles






1206



600 X 600 mm
Porcelain tiles



1207



600 X 600 mm
Porcelain tiles



1208

600 X 600 mm
Porcelain tiles





1209




600 X 600 mm
Porcelain tiles



1211

600 X 600 mm
Porcelain tiles





1212



600 X 600 mm
Porcelain tiles



1213




600 X 600 mm
Porcelain tiles



1214




600 X 600 mm
Porcelain tiles



1215

600 X 600 mm
Porcelain tiles






1216

600 X 600 mm
Porcelain tiles





1217



600 X 600 mm
Porcelain tiles



1218

600 X 600 mm
Porcelain tiles






1219




600 X 600 mm
Porcelain tiles



1220



600 X 600 mm
Porcelain tiles



1221

600 X 600 mm
Porcelain tiles






1222

600 X 600 mm
Porcelain tiles





1223

600 X 600 mm
Porcelain tiles





1224



600 X 600 mm
Porcelain tiles



1226

600 X 600 mm
Porcelain tiles






1227



600 X 600 mm
Porcelain tiles



1228



600 X 600 mm
Porcelain tiles



1229



600 X 600 mm
Porcelain tiles



1230



600 X 600 mm
Porcelain tiles



1231

600 X 600 mm
Porcelain tiles





1232




600 X 600 mm
Porcelain tiles



1233



600 X 600 mm
Porcelain tiles



1234



600 X 600 mm
Porcelain tiles



1235



600 X 600 mm
Porcelain tiles



1236



600 X 600 mm
Porcelain tiles



1237

600 X 600 mm
Porcelain tiles





1238



600 X 600 mm
Porcelain tiles



1239



600 X 600 mm
Porcelain tiles



1240



600 X 600 mm
Porcelain tiles



1241




600 X 600 mm
Porcelain tiles



1242




600 X 600 mm
Porcelain tiles



1243

600 X 600 mm
Porcelain tiles





1244




600 X 600 mm
Porcelain tiles



1245

600 X 600 mm
Porcelain tiles





1246



600 X 600 mm
Porcelain tiles



1247


600 X 600 mm
Porcelain tiles






1248

600 X 600 mm
Porcelain tiles





1249

600 X 600 mm
Porcelain tiles






1250

600 X 600 mm
Porcelain tiles





1251

600 X 600 mm
Porcelain tiles





1252

600 X 600 mm
Porcelain tiles





1253

600 X 600 mm
Porcelain tiles






1254

600 X 600 mm
Porcelain tiles





1255




600 X 600 mm
Porcelain tiles



1256

600 X 600 mm
Porcelain tiles





1257



600 X 600 mm
Porcelain tiles



1258




600 X 600 mm
Porcelain tiles



1259



600 X 600 mm
Porcelain tiles



1260



600 X 600 mm
Porcelain tiles



1261




600 X 600 mm
Porcelain tiles



1262



600 X 600 mm
Porcelain tiles



1263

600 X 600 mm
Porcelain tiles



Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	±3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545- 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	Null	Null	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note
Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggested to check the tiles before purchase and lighting as the company does not accept responsibility once the tiles are laid.

PACKING DETAIL

Size	Thickness	No.OF Tiles	Area Approx.	Weight Approx.
600x600 mm	9 mm	4 Pcs.	1.44 Sq. Mtr.	28kg.

UTILITY OF FLOOR TILES



SATTVIK[®]
ceramika

CHANNEL PARTNER

iBluu InfraVenture Pvt. Ltd.

Phone : +91 8929 600 415

E-mail : ibiv.info@ibluu.com